



## HARYANA STATE POLLUTION CONTROL BOARD

Faridabad Region, Opp. Hewo Appmt., Sector-16, Faridabad  
Website: [www.hspcb.gov.in](http://www.hspcb.gov.in)

No. HSPCB/FR/2012/

3962

Dated:

20/11/12

To

Sh. Ruchir Jain,

Faridabad.

Sub: **Supply of information under RTI Act, 2005.**

Ref: Head Office Letter No. HSPCB/RTI/355/2012/3572 dated 07-11-2012.

In this connection, it is intimated that the point wise reply of the desired information as asked vide letter under reference is as under:-

Sr. No.	Reply
1.1	List enclosed at Annexure-A along with the reports showing the parameters.
1.2	List enclosed at Annexure-B along with the reports showing the parameters.
1.3	Such kind of records does not maintained by this office. All the units have to comply the Noise rules.
1.4	This office has issued 10 Nos. show cause notice after failure of samples and closed the 62 Nos. of units for non-compliance/running illegally.

Further point no. 2.1 to 2.6 relates to Municipal Corporation, Faridabad and Public Health Department, Faridabad and this office has transferred your RTI application to the above said departments under section 5(4) and 5(5) of the Right to Information Act, 2005 vide this office letter No. 3947-50 dated 20-11-2012. (Copy enclosed).

DA/as above.

SPIO-cum-Regional Officer (FR)

Endst. No.

dated:

A copy of above is forwarded to the State Public Information Officer, HSPCB, Panchkula w.r.t. letter No. HSPCB/RTI/355/2012/3572 dated 07-11-2012.

SPIO-cum-Regional Officer (FR)

## Top Ten Air Polluting Units in jurisdiction Faridabad Region

Sr. NO.	Name of Unit
1.	Competent Processors, I-5 & 6, DLF, Industrial Area, Faridabad
2.	Creative Dyeing & Printing Mills, 14/3, Mathura Road, Faridabad
3.	Dhruv Global Ltd., 14th, MS, Mathura Road, Faridabad
4.	M.H. Textiles, 14/7, Mathura Road, Faridabad.
5.	Karma Processors Pvt. Ltd., 14/6, Mathura Road, Faridabad
6.	Richa Knits Ltd., Village-Kanwara, Jasana Road, Faridabad
7.	S & P Threads Ltd., 16/2, Mathura Road, Faridabad
8.	S.P.S. Processor Pvt. Ltd., D-68, DLF, Industrial Area, Faridabad
9.	Shahi Exports Pvt. Ltd., Plot No. 1, Sector-28, Faridabad
10.	Shri Jagdambay Dyeing Mills, 14/5, Mathura Road, Faridabad



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad.

Tel-2211568

Dist. Monitoring

Issued to:-

M/s Competent Processor  
P.No-1-5-6,DLF-1,  
Faridabad.

Report No: P-11  
Date: 29.06.12

Description of the Sample:- Received on 27.06.12 a sample of Stack Emission from Sh. Sandeep Singh AEE & Sh. Navneet Kumar IIT collected on 26.06.12 from premises of the factory.

ANALYSIS REPORT

1.	Name of the Plant/emission source monitored	Boiler Section
2.	Stack Identification/Type of Chimney	Round
3.	Location of sampling Point	As Per Norms
4.	Stack height (mt)	---
	(a) From source of emission	---
	(b) From the roof level	---
	(c) From the ground level	100 Feet
5.	Diameter of Stack	12Inch
6.	Sampling duration	30 min
7.	Product manufactured	---
8.	Normal operating schedule	12 Hrs /Day
9.	Stack Temperature	150 °C
10.	Wind condition/Direction	Normal
11.	Quantity of emission m <sup>3</sup> /sec	0.5091
12.	Type of fuel	Pet Coke

RESULTS

13.	Suspended Particulate Matter mg/ Nm <sup>3</sup>	186.8
14.	Sulphur Dioxide mg/ Nm <sup>3</sup>	30.8
15.	Oxides of Nitrogen mg/ Nm <sup>3</sup>	11.2
16.	% CO <sub>2</sub>	6.8

Sample Collected/Not Collected by us  
Sample Consumed in testing

JSA

SSA

LAB IN CHARGE

Dated 29.06.12

HSPCB/Lab/FR /2012/ 292

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Ballabgarh, Faridabad.
3. Copy to M/s Competent Processor, Faridabad.



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Tel : 01568

Paid / Monitoring

Issued to:-

M/s Creative Dyeing & Printing Mills (P) Ltd  
14/3, M. Road  
Faridabad

Report No. 112  
Dated 27/7/12

Description of the Sample:- Received on 23.07.12 a sample of Stack Emission from Mr. Sandeep Singh AEE collected on 23.07.12 from premises of the factory

**ANALYSIS REPORT**

1.	Name of the Plant/emission source monitored	Boiler Section
2.	Stack Identification/Type of Chimney	Stack attached to Boiler Section
3.	Location of sampling Point	As Per Norms
4.	Stack height (mt)	-
	(a) From source of emission	-
	(b) From the roof level	-
	(c) From the ground level	104 Feet
5.	Diameter of Stack	1300 mm
6.	Sampling duration	30 min
7.	Product manufactured	---
8.	Normal operating schedule	12 Hrs /Day
9.	Stack Temperature	140 °C
10.	Wind condition/Direction	Normal
11.	Quantity of emission m <sup>3</sup> /sec	37.7635
12.	Type of fuel	Pet Coke

**RESULTS**

13.	Suspended Particulate Matter mg/ Nm <sup>3</sup>	39.7
14.	Sulphur Dioxide mg/ Nm <sup>3</sup>	28.8
15.	Oxides of Nitrogen mg/ Nm <sup>3</sup>	5.2
16.	% CO <sub>2</sub>	5.4

Sample Collected/Not Collected by us  
Sample Consumed in testing

SA

SA

LAB INCHARGE

HSPCB/Lab/FR /2012/ 1470

Dated 31/7/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Ballabgarh.
3. Copy to M/s Creative dyeing & Printing Mills (P) Ltd, Faridabad.





Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Tel: 2661568

Paid / Monitoring

Issued to:-

M/s Dhruv Global Ltd  
14 Mile Stone, H.Road  
Faridabad

Report No: 1286  
Dated: 19/7/2012

Description of the Sample:- Received on 16.07.12 a sample of Stack Emission from Sh. Sandeep Singh AEE & Sh. Navneet Kumar JEE collected on 16.07.12 from premises of the factory

#### ANALYSIS REPORT

1. Name of the Plant/emission source monitored	Boiler Section
2. Stack Identification/Type of Chimney	Stack attached to Boiler Section
3. Location of sampling Point	As Per Norms
4. Stack height (mt)	
(a) From source of emission	---
(b) From the roof level	---
(c) From the ground level	115 Feet
5. Diameter of Stack	1 Meter
6. Sampling duration	30 min
7. Product manufactured	---
8. Normal operating schedule	10 Hrs /Week
9. Stack Temperature	160 °C
10. Wind condition/Direction	Normal
11. Quantity of emission m <sup>3</sup> /sec	5.6807
12. Type of fuel	Pet Coke

#### RESULTS

13. Suspended Particulate Matter mg/ Nm <sup>3</sup>	243.8
14. Sulphur Dioxide mg/ Nm <sup>3</sup>	18.8
15. Oxides of Nitrogen mg/ Nm <sup>3</sup>	14.2
16. % CO <sub>2</sub>	6.8

Sample Collected/Not Collected by us  
Sample Consumed in testing

JSA

JSA

LAB INCHARGE

HSPCB/Lab/FR /2012/ 1286

Dated 19/7/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Faridabad.
3. Copy to M/s Dhruv Global Ltd . Faridabad.



Secretary of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HPWD Apartment, Faridabad

HR-2261568

Party Monitoring

M/S. JLN Textile Industries  
1477/m Road  
Faridabad

Report No. 781  
Dated: 26.07.12

Description of the Sample: Received on 24.07.12 a sample of Stack Emission from Smt. Sajdeep Singh AEE collected on 24.07.12 from premises of the factory.

**ANALYSIS REPORT**

1. Name of the Plant/emission source monitored	Boiler Section
2. Stack Identification/Level of chimney	Stack attached to Boiler
3. Name of sampling point	4.5m chimney
4. Stack height (m)	4.5
5. From source of emission	4.5
6. From the roof level	4.5
7. From the ground level	4.5 Feet
8. Diameter of Stack	30 inch
9. Sampling duration	30 min
10. Product manufactured	nil
11. Normal operating schedule	12 Hrs /Day
12. Stack Temperature	140 °C
13. Wind condition/Direction	Normal
14. Quantity of emission m <sup>3</sup> /sec	3.0981
15. Type of fuel	Pet. Coke

**RESULTS**

1. Suspended Particulate Matter mg/ Nm <sup>3</sup>	253.6
2. Sulphur Dioxide mg/ Nm <sup>3</sup>	28.8
3. Oxides of Nitrogen mg/ Nm <sup>3</sup>	8.6
4. SO <sub>2</sub>	6.8

Sample Collected/Not Collected by us  
Sample Consumed in testing

*[Signature]*

*[Signature]*

*[Signature]*  
LAB INCHARGE

Lab No. FR 12/112/ 1407

Dated 27/7/12

Copy to The Member Secretary, HSPCB, Panipat  
Copy to Regional Officer, HSPCB, Faridabad  
Copy to P.S. H. Textile, (P), Ltd. Faridabad



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Tel-2261568

Paid / Monitoring

Issued to:-

M/s Karma Processor Pvt Ltd  
P.No-14/6, M.Road,  
Faridabad.

Report No: 156

Dated: 29.08.12

Description of the Sample:- Received on 27.06.12 a sample of Stack Emission from the Sandeep Singh AEE & Sh.Navneet Kumar JEE collected on 26.06.12 from premises of the factory.

**ANALYSIS REPORT**

1.	Name of the Plant/emission source monitored	Boiler Section
2.	Stack Identification/Type of Chimney	Round Metal
3.	Location of sampling Point	As Per Norms
4.	Stack height (mt)	
	(a) From source of emission	---
	(b) From the roof level	---
	(c) From the ground level	30 meter
5.	Diameter of Stack	3 Feet
6.	Sampling duration	30 min
7.	Product manufactured	---
8.	Normal operating schedule	8 Hrs /Day
9.	Stack Temperature	155 °C
10.	Wind condition/Direction	Normal
11.	Quantity of emission m <sup>3</sup> /sec	4,5886
12.	Type of fuel	Pet Coke

**RESULTS**

13.	Suspended Particulate Matter mg/ Nm <sup>3</sup>	238.8
14.	Sulphur Dioxide mg/ Nm <sup>3</sup>	36.2
15.	Oxides of Nitrogen mg/ Nm <sup>3</sup>	14.6
16.	% CO <sub>2</sub>	6.6

Sample Collected/Not Collected by us  
Sample Consumed in testing

JSA

SSA

LAB INCHARGE

HSPCB/Lab/FR /2012/ 55

Dated 29.08.12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Ballabgarh, Faridabad
3. Copy to M/s Karma Processor Pvt Ltd, Faridabad.



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Tel: 2712568

Paid / Monitoring

Issued to:-

M/s Richa Industries Ltd.  
V.-Kanwara, Jasana Road  
Faridabad

Report No: 1640-42  
Dated :- 27/8/2012

Description of the Sample:- Received on 23.08.2012 a sample of Stack Emission from Sh. Sandeep Singh AEE & Sh.Navneet Bhardwaj JEE collected on 22.08.2012 from premises of the factory

**ANALYSIS REPORT**

1. Name of the Plant/emission source monitored	Boiler Section
2. Stack Identification/Type of Chimney	Stack attached to Boiler
3. Location of sampling Point	As Per Norms
4. Stack height (mt)	
(a) From source of emission	---
(b) From the roof level	--
(c) From the ground level	100 Feet
5. Diameter of Stack	3 Feet
6. Sampling duration	30 min
7. Product manufactured	--
8. Normal operating schedule	24 Hrs /Day
9. Stack Temperature	120 °C
10. Wind condition/Direction	Normal
11. Quantity of emission m <sup>3</sup> /sec	4.3339
12. Type of fuel	Pet Coke

**RESULTS**

13. Suspended Particulate Matter mg/ Nm <sup>3</sup>	216.1
14. Sulphur Dioxide mg/ Nm <sup>3</sup>	21.3
15. Oxides of Nitrogen mg/ Nm <sup>3</sup>	7.2
16. % CO <sub>2</sub>	6.4

Sample Collected/Not Collected by us  
Sample Consumed in testing

for

SSA

LAB INCHARGE

HSPCB/Lab/FR /2012/1640-42

Dated 27/8/12

1. Copy to The Member Secretary, HSPCB, Panchkula.
2. Copy to Regional Officer, HSPCB, Faridabad.
3. Copy to M/s Richa Industries Ltd. Faridabad.

o/c





Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Cpp HEWO Apartment, Faridabad

Tel-2261569

Part / Monitoring

Issued to:

M/s S&P Thread (P)Ltd  
16/2, Mile Stone, M. Road  
Faridabad.

Report No: 254  
Date: 12/07/12

Description of the Sample:- Received on 09/07/12 a sample of Stack Emission from  
Name of Sample: M & Sh. Sandeep Singh AEE collected on 09/07/12 from premises of  
Sector:-

**ANALYSIS REPORT**

Sl. No.	Part/Plant/Emission source/Parameter	Boiler section 1	Boiler section 2
1.	Stack Classification/Type of Chemicals	Stack 4 attached to boiler section 1	Stack 5 attached to boiler section 2
2.	Height of sampling point	As per notice	As per notice
3.	Stack diameter (m)		
4.	Actual source of emission		
5.	Distance from the roof level	35 Meter	35 Meter
6.	Distance from the ground level	40 Meter	40 Meter
7.	Diameter of Stack	.75 Meter	0.5 Meter
8.	Sampling duration	30 min	30 min
9.	Product manufactured	Dyeing of Threads	Dyeing of Thread
10.	Normal operating schedule	20 Hrs/Day	20 Hrs/Day
11.	Stack Temperature	180 °C	140 °C
12.	Wind condition/Direction	Normal	Normal
13.	Quantity of emission m <sup>3</sup> /sec	3.1821	1.3553
14.	Type of fuel	Gas	Gas

**RESULTS**

13.	Suspended Particulate Matter mg/ Nm <sup>3</sup>	148.4	251.4
14.	Sulphur Dioxide mg/ Nm <sup>3</sup>	19.8	20.5
15.	Oxides of Nitrogen mg/ Nm <sup>3</sup>	6.2	7.6
16.	% CO <sub>2</sub>	5.6	5.8

Sample Collected/Not Collected by us  
Sample Consumed in testing

SSA

SSA

LAB INCHARGE

Dated 12/07/12

HSPCB/Lab/FR/2012/116

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Faridabad.
3. Copy to M/s S&P Thread (P)Ltd, Faridabad.



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Tel-2261568

Paid / Monitoring

Issued to:-

M/s SPS Processors Pvt Ltd  
P.No-68D,DLF-1,  
Faridabad.

Report No:- 203  
Dated :- 02.07.12

Description of the Sample:- Received on 28.06.12 a sample of Stack Emission from Mr. Sandeep Singh AEE & Sh.Navneet Kumar JEE collected on 28.06.12 from premises of the factory.

**ANALYSIS REPORT**

1.	Name of the Plant/emission source monitored	Boiler Section
2.	Stack Identification/Type of Chimney	Round Metal
3.	Location of sampling Point	As Per Norms
4.	Stack height (mt)	
	(a) From source of emission	---
	(b) From the roof level	---
	(c) From the ground level	100Feet
5.	Diameter of Stack	24 Inch
6.	Sampling duration	30 min
7.	Product manufactured	---
8.	Normal operating schedule	12 Hrs /Day
9.	Stack Temperature	145 °C
10.	Wind condition/Direction	Normal
11.	Quantity of emission m <sup>3</sup> /sec	2.0394
12.	Type of fuel	Pet Coke

**RESULTS**

13.	Suspended Particulate Matter mg/ Nm <sup>3</sup>	274.8
14.	Sulpher Dioxide mg/ Nm <sup>3</sup>	36.6
15.	Oxides of Nitrogen mg/ Nm <sup>3</sup>	11.2
16.	% CO <sub>2</sub>	6.8

Sample Collected/Not Collected by us  
Sample Consumed in testing

JSA

SSA

LAB INCHARGE

HSPCB/Lab/FR/2012/ 937-939

Dated 2/7/12

- ✓ 1. Copy to The Member Secretary, HSPCB, Panchkula
- ✓ 2. Copy to Regional Officer, HSPCB, Ballabgarh.
- ✓ 3. Copy to M/s SPS Processors Pvt Ltd , Faridabad.

O/C



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Tel-2261568

Paid / Monitoring

Issued to:-

M/s Shahi Exports Pvt Ltd  
P.no-1, Sec-28,  
Faridabad.

Report No. 262

Dated: 20.07.12

Description of the Sample:- Received on 17.07.12 a sample of Stack Emission from Sh. Sanjeev Budhiraja (RO) & Sh. Sandeep Singh AEE collected on 17.07.12 from premises of the factory

**ANALYSIS REPORT**

1. Name of the Plant/emission source monitored	Boiler Section
2. Stack Identification/Type of Chimney	Stack Attached to Boiler Section
3. Location of sampling Point	As Per Norms
4. Stack height (mt)	---
(a) From source of emission	---
(b) From the roof level	---
(c) From the ground level	38 Meter
5. Diameter of Stack	750 mm
6. Sampling duration	30 min
7. Product manufactured	---
8. Normal operating schedule	16 Hrs /day
9. Stack Temperature	150 °C
10. Wind condition/Direction	Normal
11. Quantity of emission m <sup>3</sup> /sec	3.1202
12. Type of fuel	Wood Bricket

**RESULTS**

13. Suspended Particulate Matter mg/ Nm <sup>3</sup>	171.3
14. Sulphur Dioxide mg/ Nm <sup>3</sup>	23.6
15. Oxides of Nitrogen mg/ Nm <sup>3</sup>	5.7
16. % CO <sub>2</sub>	5.8

Sample Collected/Not Collected by us  
Sample Consumed in testing

ISA

ISA

LAB INCHARGE

HSPCB/Lab/FR /2012/ 1304

Dated 20/7/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Faridabad.
3. Copy to M/s Shahi Exports (P) Ltd, Faridabad.



Laboratory of the  
Haryana State Pollution Control Board  
Sector-16A, Opp. HEWO Apartment, Faridabad

Page 2 of 2

Page 2 of 2

Received by:-

M/s Shri Jagdamba Dyeing Mills,  
1475, M. Road,  
Faridabad.

Report No. HSPCB/FR/2012/111  
Date: 01/07/2012

Description of the Sample: Received on 30.06.12 a sample of Stack Emission. The sample was collected on 30.06.12 at 11:30 AM. The sample was collected at 11:30 AM.

**ANALYSIS REPORT**

1. Name of the Plant/Station/Source monitored:	Boiler Section
2. Location of Type of Emission:	Stack Emission
3. Name of Sampling Point:	as per scheme
4. Stack height (m):	
a) From source of emission	30 feet
b) From the roof level	---
c) From the ground level	---
5. Diameter of Stack:	18 inch
6. Sampling duration:	30 min
7. Product manufactured:	---
8. Normal operating schedule:	12 hrs/Day
9. Stack Temperature:	160 °C
10. Wind condition/Direction:	Normal
11. Quantity of emission m <sup>3</sup> /sec:	1.1471
12. Type of fuel:	Pet. Coke

**RESULTS**

13. Suspended Particulate Matter mg/ Nm <sup>3</sup>	243.0
14. Sulphur Dioxide mg/ Nm <sup>3</sup>	27.2
15. Oxides of Nitrogen mg/ Nm <sup>3</sup>	11.4
16. % CO <sub>2</sub>	6.4

Sample Collected/Not Collected by us  
Sample Consumed in testing

SSA

SSA

LAB INCHARGE

HSPCB/Lab/FR /2012/ 111

Dated 01/07/2012

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, HSPCB, Faridabad.
3. Copy to M/s Shri Jagdamba Dyeing Mills, Faridabad.



**Top Ten Water Polluting units in the jurisdiction of Faridabad Region**

<b>Sr. NO.</b>	<b>Name of Unit</b>
1.	Creative Dyeing & Printing Mills, 14/3, Mathura Road, Faridabad
2.	Dhruv Global Ltd., 14th, MS, Mathura Road, Faridabad
3.	Exquisite Enterprises, Plot No. 5B, Sector-15A, Faridabad
4.	Karma Processors Pvt. Ltd., 14/6, Mathura Road, Faridabad
5.	Nestor Pharmaceuticals Ltd, 11, W.E. Area, NIT, Faridabad
6.	Richa Knits Ltd., Village-Kanwara, Jasana Road, Faridabad
7.	S & P Threads Ltd., 16/2, Mathura Road, Faridabad
8.	S.P.S. Processor Pvt. Ltd., D-68, DLF, Industrial Area, Faridabad
9.	Shahi Exports Pvt. Ltd., Plot No. 1, Sector-28, Faridabad
10.	GEPIL, Pali Raod, Faridabad.



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

NO. 143/E  
143/E

MONITORING/PAID

Issued to M/s Creative Dyeing & Printing Mills (P) Ltd  
14/3 M Road  
Faridabad

Report No. 143/E  
Date: 20/08/12

Received on 24.07.2012 a sample of liquid trade effluent (Domestic effluent from Sh. Sandeep Singh AEE) Collected on 23.07.2012 from the inlet/outlet of the factory E.T.P.

ANALYSIS REPORT

S. No	PARAMETERS	Inlet	RESULT
1	Colour	Light Brown	Colourless
2	Odour	Bad	Mild
3	pH Value	10.9	7.1
4	Conductivity $\mu\text{mho/cm}$	9650	4680
5	Suspended Solids mg/l	264	57
6	BOD (for 3 days at 27° C) mg/l	135	23
7	COD mg/l	448	144
8	Oil & Grease mg/l	9	ND
9	Total Chromium as Cr mg/l	ND	ND
10	Sulphides as S mg/l	5.2	0.3
11	Phenolic Compounds as $\text{C}_6\text{H}_5\text{OH}$ mg/l	ND	ND

Sample Collected/Not Collected by us:

Sample consumed in testing

JSA

SJA

Lab. Incharge

HSPCB/Lab/FR/2012/143/E

Dated: 20/08/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad.
3. Copy to M/s Creative Dyeing & Printing Mills (P) Ltd, Faridabad.



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

MONITORING/PAID

Issued to M/s. Dhruv Global Ltd  
14, Mile Stone M. Road  
Faridabad

Report No. 1325  
Date 23/2/12

Received on 16.07.2012 a sample of liquid trade effluent/ Domestic  
effluent from Sh. Sandeep Singh (AEE) & Sh. Navneet Kumar (JEE)  
Collected on 16.07.2012 from the inlet/outlet of the factory E.T.P.

ANALYSIS REPORT

S No.	PARAMETERS	Inlet	RESULT	Outlet
1.	Colour	Pink	Colorless	
2.	Odour	Bad	Mild	
3.	pH Value	9.5	7.8	
4.	Conductivity $\mu\text{mho/cm}$	5280	4260	
5.	Suspended Solids mg/l	184	35	
6.	BOD (for 3 days at 27° C) mg./l	145	18	
7.	COD mg/l	432	96	
8.	Oil & Grease mg/l	7	ND	
9.	Total Chromium as Cr mg/l	ND	ND	
10.	Sulphides as S mg/l	3.4	0.5	
11.	Phenolic Compounds as $\text{C}_6\text{H}_5\text{OH}$ mg/l	ND	ND	

Sample Collected/Not Collected by us

Sample consumed in testing

JSA

SSA

Lab Incharge

HSPCB/Lab/FR/2012/1325

Dated 23/2/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad
3. Copy to M/s Dhruv Global Ltd, Faridabad.



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

Secy B, H.S.P.C.B.  
A.E.E. - HARYANA STATE POLLUTION CONTROL BOARD

Diary  
No.

R.O. (H)  
18/9

MONITORING/PAID

Issued to M/s Exquisite Enterprises Pvt. Ltd.  
Plot No. 5B, Sector-15A  
Faridabad

Report No.223  
Date 17/09/12

Received on 12.9.2012 a sample of liquid trade effluent/ Domestic effluent  
from Sh. Sanjeev Kumar R.O. & Sh. Sandeep Singh (AEE) Collected on  
12.9.2012 from the inlet & outlet of ETP,

ANALYSIS REPORT

S.No.	PARAMETERS	Inlet	RESULT	Outlet
1.	Colour	:	Blue	Colourless
2.	Odour	:	Bad	Mild
3.	pH Value	:	8.9	7.7
4.	Conductivity $\mu\text{mho/cm}$	:	3420	2370
5.	Suspended Solids mg/l	:	186	44
6.	BOD (for 3 days at 27° C) mg./l	:	170	22
7.	COD mg/l	:	416	104
8.	Oil & Grease mg/l	:	9	ND
9.	Boron as B mg/l	:	0.3	ND
10.	Total Chromium as Cr mg/l	:	0.6	ND

Sample Collected/Not Collected by us :  
Sample consumed in testing :

JSA

SSA

*Sharma*  
Lab Incharge

HSPCB/Lab/FR/2012/ 1802

Dated 17/9/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad





LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

MONITORING/PAID

Issued to M/s Karma Processor (P) Ltd  
14/5 M. Road  
Faridabad

Report No. 7  
Date 18/06/12

Received on 12.6.2012 a sample of liquid trade effluent/Domestic effluent  
from Sh. Naveen Gulia (AEE) & Sh. Rajinder Singh (AEE) Collected on  
12.6.2012 from the inlet/outlet of the factory E.T.P.

ANALYSIS REPORT

S.No.	PARAMETERS	Inlet	RESULT	Outlet
1.	Colour	Bluish		Almce: Colourless
2.	Odour	Bad		Neg.
3.	pH Value	9.4		8.4
4.	Conductivity $\mu\text{mho/cm}$	4870		3420
5.	Suspended Solids mg/l	246		62
6.	BOD (for 3 days at 27° C) mg/l	110		21
7.	COD mg/l	464		144
8.	Oil & Grease mg/l	11		2
9.	Total Chromium as Cr mg/l	ND		ND
10.	Sulphides as S mg/l	3.4		0.3
11.	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH mg/l	0.2		NL

Sample Collected/Not Collected by us

Sample consumed in testing

JSA

SSA

Lab Incharge

HSPCB/Lab/FR/2012/ 752

Dated 18/6/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad
3. Copy to M/s Karma Processor (P) Ltd, Faridabad



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

3/12/12

MONITORING/PAID

TESTED TO M/s Nestor Pharmaceuticals Ltd  
Western Extension Area,  
Faridabad

Report No 35  
Date: 16.05.12

Monitored on 09.5.2012 a sample of industrial effluent/Domestic effluent  
from M/s. Sanki Singh (ABE) collected on 08.5.2012 from the inlet/outlet  
of the factory E.T.P.

ANALYSIS REPORT

S. NO.	PARAMETER	RESULT	outlet
1	Colour		Slight Hazy
2	Odour		Neg
3	pH Value		8.4
4	Conductivity $\mu\text{mho/cm}$		2960
5	Suspended Solids mg/l		48
6	BOD (for 3 days at 27° C) mg/l		18
7	COD mg/l		96
8	Oil & Grease mg/l		5
9	Hexavalent Chromium as $\text{Cr}^{+6}$ mg/l		ND
10	Zinc as Zn mg/l		ND
11	Nickle as Ni mg/l		ND
12	Cyanide as $\text{CN}^{-}$ mg/l		ND
13	Phosphate as P mg/l		0.3
14	Iron as Fe mg/l		ND
15	Total Chromium as Cr mg/l		ND
16	Sulphides as S mg/l		1.4

Sample Collected/Not Collected by us  
Sample consumed in testing

Lab Incharge

Dated

HSPCB/Lab/FR/2012/

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad
3. Copy to M/s Nestor Pharmaceuticals Ltd, Faridabad



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near New Apartments,  
Faridabad.

MONITORING/PAID

Issued to M/s. Richa Industries Ltd.  
Village-Kanwara, Jasana Road  
Faridabad

Report No. HSPCB/FR/2012/1649-51  
Date: 27/08/12

Received on 22.08.2012 a sample of liquid waste effluent from Sh. Sandeep Singh AEE & Sh. Navneet Kaur  
Collected on 22.08.2012 from the inlet/outlet of the factory E.T.P.

ANALYSIS REPORT

S.No.	PARAMETERS	Inlet	RESULT	outlet
1.	Colour	: Blue		Colourless
2.	Odour	: Bad		Mild
3.	pH Value	: 9.1		8.5
4.	Conductivity $\mu$ mho/cm	: 4780		2930
5.	Suspended Solids mg/l	: 290		42
6.	BOD (for 3 days at 27° C) mg./l	: 145		18
7.	COD mg/l	: 448		92
8.	Oil & Grease mg/l	: 11		ND
9.	Total Chromium as Cr mg/l	: ND		ND
10.	Sulphides as S mg/l	: 4.4		0.8
11.	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH mg/l	: ND		ND

Sample Collected/Not Collected by us : \_\_\_\_\_

Sample consumed in testing : \_\_\_\_\_

JSA

SSA

Lab Manager

HSPCB/Lab/FR/2012/1649-51

Dated 27/08/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad.
3. Copy to M/s Richa Industries Ltd, Faridabad

etc



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

MONITORING/PAID

Issued to M/s S & P Thread Pvt. Ltd  
16/2 M.S. Mathura Road  
Faridabad

Report No 118

Date 16.07.12

Received on 10.7.2012 a sample of liquid trade effluent/ Domestic effluent  
from Sh. Navneet Bhardwaj JEE. & Sh. Sandeep Singh (AEE) Collected  
on 9.7.2012 from the inlet/outlet of the factory E.T.P.

ANALYSIS REPORT

S.No.	PARAMETERS	Inlet	RESULT	Outlet
1.	Colour	Milky	Colourless	
2.	Odour	Bad	Odourless	
3.	pH Value	9.4	7.6	
4.	Conductivity $\mu\text{mho/cm}$	10400	6830	
5.	Suspended Solids mg/l	208	47	
6.	BOD (for 3 days at 27° C) mg/l	145	19	
7.	COD mg/l	432	128	
8.	Oil & Grease mg/l	8	ND	
9.	Total Chromium as Cr mg/l	ND	ND	
10.	Sulphides as S mg/l	6.4	0.5	
11.	Phenolic Compounds as $\text{C}_6\text{H}_5\text{OH}$ mg/l	ND	ND	

Sample Collected/Not Collected by us

Sample consumed in testing

JSA

SSA

Lab Incharge

HSPCB/Lab/FR /2012/ 1723

Dated 16/7/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad
3. Copy to M/s S & P Thread Pvt. Ltd, Faridabad





LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

MONITORING/PAID

Issued to M/s SPS Processor,  
68-D, DLF,  
Faridabad

Report No. 22  
Date: 30/4/12

Received on 21.04.2012 a sample of liquid trade effluent / domestic effluent from Sh. Shakti Singh AEE Collected on 20.4.2012 from the inlet / outlet of the factory E.T.P.

ANALYSIS REPORT

S.No.	PARAMETERS	RESULT	outlet
1.	Colour	:	Slight Hazy
2.	Odour	:	Odourless
3.	pH Value	:	8.6
4.	Conductivity $\mu\text{mho/cm}$	:	2770
5.	Suspended Solids mg/l	:	28
6.	BOD (for 3 days at 27° C) mg./l	:	19
7.	COD mg/l	:	64
8.	Oil & Grease mg/l	:	ND
9.	Total Chromium as Cr mg/l	:	ND
10.	Sulphides as S mg/l	:	0.2
11.	Phenolic Compounds as $\text{C}_6\text{H}_5\text{OH}$ mg/l	:	ND
	Sample Collected/Not Collected by us	:	
	Sample consumed in testing	:	

Lab Incharge

HSPCB/Lab/FR/2012/ 348-50

Dated 30/4/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Ballabgarh.
3. Copy to M/s SPS Processor, Faridabad

216



LABORATORY OF THE  
HARYANA STATE POLLUTION CONTROL BOARD  
Sector 16-A, Near Hewo Apartments,  
Faridabad.

MONITORING/PAID

Issued to M/s Shahi Exports (P) Ltd  
Plot No.1 Sector-28  
Faridabad

Report No 141

Date 24 07 12

Received on 18.7.2012 a sample of liquid trade effluent/ Domestic effluent  
from Sh. Sanjeev Budhiraja (RO) & Sh. Sandeep Singh (AEE) Collected  
on 17.7.2012 from the inlet/outlet of the factory E.T.P.

ANALYSIS REPORT

S.No	PARAMETERS	Inlet	RESULT	outlet
1	Colour	Muddy	Colourless	
2	Odour	Bad	Mild	
3	pH Value	7.8	7.3	
4	Conductivity $\mu\text{mho/cm}$	4500	3410	
5	Suspended Solids mg/l	168	34	
6	BOD (for 3 days at 27° C) mg./l	90	15	
7	COD mg/l	344	68	
8	Oil & Grease mg/l	9	4	
9	Total Chromium as Cr mg/l	ND	ND	
10	Sulphides as S mg/l	3.2	0.6	
11	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH mg/l	ND	ND	

Sample Collected/Not Collected by us

Sample consumed in testing

JSA

SSA

Lab Incharge

HSPCB/Lab/FR/2012/1331

Dated 24/7/12

1. Copy to The Member Secretary, HSPCB, Panchkula
2. Copy to Regional Officer, Faridabad
3. Copy to M/s Shahi Exports (P) Ltd, Faridabad



PREVENT  
POLLUTION

**CONTROL BOARD**

Type of Sample: Monitoring  
**HARYANA STATE POLLUTION CONTROL BOARD'S  
 LABORATORY (HQ)**  
 C-11, Sec-6, Panchsala, Haryana

R.O Faridabad  
GEPIL (Haryana) Pali, Faridabad

Report No: 3,243  
 Date: 25-05-12

Received on: 15-May-12  
 Collected by: Sh. Navin Gulia, ZEE  
 Name of the factory: Lechate Well (near Well Down Stream)  
 Nature of Effluent: liquid Trade Effluent

The sample has been analysed on: 18-May-12  
 Result: 3rd Meeting

Parameter Name	ANALYSIS REPORT	
	Result	Result
1. Sample No.:	4502	
2. Sample Collected from:	Borewell D/Stream	
3. Sample Quantity (ltr)	2	
4. Appearance:	Slight Hazy	
5. Odour:	Almost Odourless	
6. pH:	6.07	
7. Suspended Solids (mg/l)	14.6	1000-2000
8. Dissolved Solids (mg/l)	450.0	500-7500
9. BOD (3 Days @ 27°C) mg/l	N.D.	100-2000
10. COD (mg/l)	16.80	2500-5000
11. Oil and Grease (mg/l)	N.D.	1000-2000

Sample Collected by: SA  
 Sample Consumed in testing: SA  
 To Member Secretary  
 Regional Office

Faridabad ✓

Sudh Kim

Ravi Sharma

**LABORATORY INCHARGE**  
 Dr. S.K. Reddy

The test report relate only to the particular sample submitted.